

## Elementum

### Bathroom Sconce 2700K

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

| Model & Size  | Color Temp & CRI | Finish              | Watt  | LED Lumens | Delivered Lumens | Title 24 |
|---------------|------------------|---------------------|-------|------------|------------------|----------|
| ○ WS-7213 13" | 2700K 90         | ○ BN Brushed Nickel | 15.5W | 1118       | 856              | Yes      |
|               | 2700K 90         | ○ BR Brushed Brass  | 15.5W | 1118       | 856              | Yes      |
|               | 2700K 90         | ○ CH Chrome         | 15.5W | 1118       | 856              | Yes      |

Example: **WS-7213-BN**

- For 277V special order, add an "F" before the finish: WS-7230F-30-BN
- For alternate color temperature, special order adding -27 or -35: WS-7230F-30-BN

#### DESCRIPTION

Updated with a warm brass finish, Elementum brings unparalleled task lighting into your bathroom, whether mounted vertically on either side of the mirror or above a vanity mirror for a flattering diffuse illumination.

#### FEATURES

- A streamlined luminaire sealed to meet healthcare facility requirements
- 13" can only be mounted vertically
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


|               |                                                                     |
|---------------|---------------------------------------------------------------------|
| Color Temp:   | 2700K                                                               |
| Input:        | 120 VAC, 50/60Hz                                                    |
| CRI:          | 90                                                                  |
| Dimming:      | ELV: 100 - 10%                                                      |
| Rated Life:   | 80000 Hours                                                         |
| Mounting:     | Can be mounted on wall in all orientations                          |
| Standards:    | ETL, cETL, IP65, Title 24 JA8-2016 Compliant<br>Wet Location Listed |
| Construction: | Aluminum hardware with mouth blown etched glass diffuser            |

#### REPLACEMENT PARTS


RPL-GLA-7213 - Glass for WS-7213



#### FINISHES



#### LINE DRAWING



**WS-7213**

## Elementum

### Bathroom Sconce 2700K

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

| Model & Size  | Color Temp & CRI | Finish              | Watt  | LED Lumens | Delivered Lumens | Title 24 |
|---------------|------------------|---------------------|-------|------------|------------------|----------|
| ○ WS-7222 22" | 2700K 90         | ○ BN Brushed Nickel | 30.5W | 2119       | 1559             | Yes      |
|               | 2700K 90         | ○ BR Brushed Brass  | 30.5W | 2119       | 1559             | Yes      |
|               | 2700K 90         | ○ CH Chrome         | 30.5W | 2119       | 1559             | Yes      |

Example: **WS-7222-BN**

- For 277V special order, add an "F" before the finish: WS-7230F-30-BN
- For alternate color temperature, special order adding -27 or -35: WS-7230F-30-BN

#### DESCRIPTION

Updated with a warm brass finish, Elementum brings unparalleled task lighting into your bathroom, whether mounted vertically on either side of the mirror or above a vanity mirror for a flattering diffuse illumination.

#### FEATURES

- A streamlined luminaire sealed to meet healthcare facility requirements
- 13" can only be mounted vertically
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


|               |                                                                     |
|---------------|---------------------------------------------------------------------|
| Color Temp:   | 2700K                                                               |
| Input:        | 120 VAC, 50/60Hz                                                    |
| CRI:          | 90                                                                  |
| Dimming:      | ELV: 100 - 10%                                                      |
| Rated Life:   | 80000 Hours                                                         |
| Mounting:     | Can be mounted on wall in all orientations                          |
| Standards:    | ETL, cETL, IP65, Title 24 JA8-2016 Compliant<br>Wet Location Listed |
| Construction: | Aluminum hardware with mouth blown etched glass diffuser            |

#### REPLACEMENT PARTS


RPL-GLA-7213 - Glass for WS-7222



#### FINISHES



#### LINE DRAWING



**WS-7222**

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Elementum

### Bathroom Sconce 2700K

| Model & Size  | Color Temp & CRI | Finish              | Watt  | LED Lumens | Delivered Lumens | Title 24 |
|---------------|------------------|---------------------|-------|------------|------------------|----------|
| ○ WS-7230 30" | 2700K 90         | ○ BN Brushed Nickel | 39.5W | 2404       | 1708             | Yes      |
|               | 2700K 90         | ○ BR Brushed Brass  | 39.5W | 2404       | 1708             | Yes      |
|               | 2700K 90         | ○ CH Chrome         | 39.5W | 2925       | 1955             | No       |

Example: **WS-7230-BN**

- For 277V special order, add an "F" before the finish: WS-7230F-30-BN
- For alternate color temperature, special order adding -27 or -35: WS-7230F-30-BN

#### DESCRIPTION

Updated with a warm brass finish, Elementum brings unparalleled task lighting into your bathroom, whether mounted vertically on either side of the mirror or above a vanity mirror for a flattering diffuse illumination.

#### FEATURES


- A streamlined luminaire sealed to meet healthcare facility requirements
- 13" can only be mounted vertically
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


|               |                                                          |
|---------------|----------------------------------------------------------|
| Color Temp:   | 2700K                                                    |
| Input:        | 120 VAC, 50/60Hz                                         |
| CRI:          | 90                                                       |
| Dimming:      | ELV: 100 - 10%                                           |
| Rated Life:   | 80000 Hours                                              |
| Mounting:     | Can be mounted on wall in all orientations               |
| Standards:    | ETL, cETL, IP65, Title 24 JA8-2016 Compliant             |
|               | Wet Location Listed                                      |
| Construction: | Aluminum hardware with mouth blown etched glass diffuser |

#### REPLACEMENT PARTS


RPL-GLA-2818 - Glass for WS-7230



#### FINISHES



#### LINE DRAWING



**WS-7230**