SATCO | NUVO



Project/Job Name:

Location:

Fixture Type:

Notes:

S11880 - 9 Watt LED; Fire Rated; 4 Inch Direct Wire Directional Downlight; Round Shape; White Finish; CCT Selectable; Dimmable; 120 Volts

- Air Tight
- Has Driver
- CCT Selectable
- IC Rated

ELECTRICAL

Technology:	LED
Watts:	9W
Volts:	120V
Lumens:	650L
CRI:	90
R9 Value :	51
CCT (Kelvins):	27K/30K/35K/40K/50K - Warm White to Natural Light
Beam Spread :	36
Hours Rated:	50000
Dimmable:	Yes-Dimmable -
Dimmable Down To %:	100 to 10 percent
Dimming Type :	Triac
Incandescent Equivalent :	50W
Operating Temperature :	-20C (-4F) to +40C (+104F)
Replaceable Light Source :	No
Connection:	Direct Wired
THD:	<30%
Power Factor :	>0.9
Warranty:	5 Year Limited - Fixtures

PACKAGING

Each UPC:	045923118807
Each Quantity:	1
Each Dimensions:	5.16 x 3.19 x 5.08

PHYSICAL

Finish:	White
Lens Finish:	Frost
Lens Material:	Poly methyl methacrylate (PMMA)
Dimensions:	H:1.42" DIA:4.92"
Weight (Lbs.):	1.05
Material:	Aluminum

INSTALLATION

Ceiling Aperture:	4.25 in. Cutout
Max Drywall Thickness:	1 in.
Rec. Spacing Between Fixtures:	3 ft. to 4 ft.
Clearance Height:	3
Sloped Ceiling Compatible:	Yes
Can Size:	4 in.

COMPLIANCE

Safety Listing:	cETLus - Listed
Location Rating:	Wet
Indoor/Outoor:	Indoor
Energy Star Qualified:	Yes
Energy Star Unique ID:	ESID-2684100
Energy Star Lamp Category:	Downlight Recessed
DLC Approved:	No
CA Prop 65:	Lead
BAA Compliant:	No
FCC Compliant:	Yes
RoHS Compliant:	Yes
Restrictions:	No Restrictions

INFO

Additional Info:	2HR Fire Rated: Tested to comply with UL 263/ASTM E119/CAN-ULC S101-07
Specification Note:	Rotation Angle 360 degrees; Tilt Angle 80 degrees

© Satco Products, Inc.
All rights reserved 2024

S11880 - 9 Watt LED; Fire Rated; 4 Inch Direct Wire Directional Downlight; Round Shape; White Finish; CCT Selectable; Dimmable; 120 Volts

ACCESSORIES

	**80-865**	4-Inch Asymmetric New Construction Recessed Downlight Mounting Plate; Flat
	**80-867**	Universal New Construction Recessed Downlight Mounting Plate; Flat; 3.5-Inch; 4-Inch; 6-Inch; 8-Inch
	**80-943**	New Construction Mounting Plate with Hanger Bars for T-Grid or Stud/Joist mounting of 4-inch Recessed Downlights; Up to 4.25-inch hole diameter
	80-946	4" Goof Ring for Remote Driver Installation
	**80-950**	New Construction Mounting Plate for Stud/Joist mounting of 4-inch Recessed Downlights; Up to 4.563-inch hole diameter
	**80-973**	Emergency Driver Enclosure; For use with S8000 and S8002
	**80-985**	6 FOOT REMOTE DRIVER 3-PIN EXT
	**80-987**	Emergency Remote Test Switch; Single Gang Plate; White Finish
	**80-997**	Downlight Hanger Bar Kit; For Asymmetrical Plates; New Construction
	**S8000**	5 Watt LED Emergency Driver; 120-277 Volts
	S8002	10 Watt LED Emergency Driver; 120-277 Volt

© Satco Products, Inc.
All rights reserved 2024

S11880 - 9 Watt LED; Fire Rated; 4 Inch Direct Wire Directional Downlight; Round Shape; White Finish; CCT Selectable; Dimmable; 120 Volts

DIMMER COMPATIBILITY

Leviton	6672
Leviton	6674
Leviton	66DF-10W
Leviton	66ELV
Satco	80/2699
Satco	80/2700
Satco	80/2701
Satco	80/2702
Satco	80/2703
Satco	80/2704
Satco	86/103
Legrand	ADTP703TU
Lutron	AYCL-153P
Lutron	AYCL-253P
Lutron	CTCL-153P
Lutron	CTRP-253P
Eaton	DAL06P-C2
Leviton	DDL06
Leviton	DDMX1
Leviton	DG6HD
Leviton	DH6HD
Leviton	DL6HD
Leviton	DSE06-10Z
Leviton	DSL06
Leviton	DSM10
Eaton	DUL06P-C2

© Satco Products, Inc.
All rights reserved 2024

Lutron	DVCL-153P
Lutron	DVCL-253P
Lutron	DVRP-253P
Leviton	DW6HD
Leviton	DZ6HD
Lutron	HQR-3LD
Lutron	HQR-3PD
Lutron	HQRA-PRO
Lutron	HQRD-10D
Lutron	HQRD-10NBD
Lutron	HQRD-6CL
Lutron	HQRD-6ND
Lutron	HQRD-HN6BRL
Lutron	HQRD-PRO
Lutron	HRST-PRO-N
Leviton	IPE04-1L
Leviton	IPL06
Lutron	LECL-153P
Lutron	MA-PRO
Lutron	MACL-153M
Lutron	MACL-LFQ
Lutron	MAELV-600
Precision	MR42400PLS
Lutron	MRF2-3LD
Lutron	MRF2-3PD
Lutron	MSCL-OP153M
Lutron	NTCL-250
Lutron	NTRP-250

© Satco Products, Inc.
All rights reserved 2024

Hubbell	NXFRD-UNV
Overdrive	ODMR0205
Lutron	PD-10NXD
Lutron	PD-3PCL
Lutron	PD-5NE
Lutron	PD-6WCL
Lutron	PHPM-WBX-120
Lutron	RCL-153PNL
Leviton	REL06-WW
Eaton	RF9640-ND
Legrand	RH703PTUTC
Legrand	RHCL450PTC
Leviton	RNL06-10Z
Lutron	RRD-10D
Lutron	RRD-3LD
Lutron	RRD-3PD
Lutron	RRD-6CL
Lutron	RRD-6ND
Lutron	RRD-H6BRL
Lutron	RRD-PRO
Lutron	RRST-PRO-N
Satco	S11268
Satco	S11270
Eaton	SAL06P
Lutron	SCL-153P
Lutron	SELV-300P
Lutron	SLV-600P
Lutron	ST-PRO-N

© Satco Products, Inc.
All rights reserved 2024

Lutron	STCL-153M
Eaton	SUF7
Eaton	TAL06P-C2
Lutron	TGCL-153PH
Leviton	TSL06
Leviton	TSM10
Lutron	TTCL-100H
Leviton	VPE06-1LZ
Eaton	VSUL06D
Acuity	WSX-PDT-WH
Legrand	WWRL50WH

© Satco Products, Inc.
All rights reserved 2024